



<b>Baskets</b>	<b>3-6</b>
Collapsible Work Baskets	3
Derrick Basket Accessories	4
OSHA Man Baskets	5
Rigid Cargo Baskets	5
OSHA Man Basket Accessories	6
<b>Casing/Pipe Hooks</b>	<b>7-8</b>
<b>Cont. Fast Throw Lines</b>	<b>9-11</b>
<b>Escape and Knotted Ropes</b>	<b>12</b>
<b>Fiberglass Products</b>	<b>13-28</b>
Breathing Apparatus Boxes	13-14
Equipment Boxes	14-16
Fiberglass Container Spare Parts	16
Fire Extinguisher Boxes	17-19
Fire Fighting Equipment Boxes	19-21
Fire Hose Cabinets – Red (H x W x D)	22-23
General Purpose Boxes	23-24
Life Preserver Boxes	24-26
Ring Buoy Box	27
Storage Lockers	28
Utility Boxes	28
<b>Ladders</b>	<b>29-30</b>
Chain Ladders	29
Rope Ladders	29-30
Wire Ladders	30
<b>Life Floats</b>	<b>31-35</b>
Life Float Launchers	31
Life Float Accessories	31-33
Life Float Products	34
Float Free Links	35
<b>Miscellaneous</b>	<b>36</b>
<b>Other Nets</b>	<b>37-38</b>
Boat Rescue Nets	37
Cargo Nets	37



<b>Helicopter Deck Nets</b>	<b>38</b>
<b>Scramble Nets</b>	<b>38</b>
<b>Rescue Rings</b>	<b>39-40</b>
<b>Ring Buoys</b>	<b>41-44</b>
<b>Aluminum Life Ring Buoy Brackets</b>	<b>41</b>
<b>Galvanized Life Ring Buoy Brackets</b>	<b>41</b>
<b>U.S.C.G. Life Ring Buoys</b>	<b>42</b>
<b>Life Ring Buoy Accessories</b>	<b>42</b>
<b>Ring Buoy Release Mechanism Accessories</b>	<b>43</b>
<b>Ring Buoy Release Mechanism Only</b>	<b>43</b>
<b>S.O.L.A.S. Life Ring Buoys</b>	<b>44</b>
<b>Stretchers</b>	<b>45-46</b>
<b>Swing Ropes</b>	<b>47</b>
<b>Tag Lines</b>	<b>48</b>
<b>Windsocks</b>	<b>49-50</b>
<b>Work Vest</b>	<b>51-53</b>
<b>X-800 Series Nets</b>	<b>54-61</b>
<b>Offshore Personnel Transfer Net Storage Box</b>	<b>54-55</b>
<b>Offshore Personnel Transfer Nets</b>	<b>55-58</b>
<b>Inspection Certificates</b>	<b>58</b>
<b>Replacement Parts</b>	<b>59</b>
<b>Accessories</b>	<b>60</b>
<b>Stenciling</b>	<b>61</b>
<b>X-904 Transfer Device</b>	<b>62-64</b>
<b>X-904 Transfer Devices</b>	<b>62-63</b>
<b>X-904 Accessories</b>	<b>63-64</b>

**Collapsible Work Baskets**

**X-8CB-Stabalizer**

Collapsible Work Basket Stabilizer

OPTIONAL STABILIZER for Collapsible Work Basket X-8CB-S.  
41 lbs.



**X-8CB**

Cable Cargo Basket

Collapsible cargo basket for easy loading.  
72" x 72" x 14"  
Cable: 350 lbs.  
Chain: 332 lbs.



**PWB-4**

Collapsible Work Basket -- 3 to 4 Person

Lightweight man basket for applications where OSHA requirement is not applicable.  
125 lbs; 50" x 50" x 8"



**Collapsible Work Baskets**

---

**PWB-2**

Collapsible Work Basket – 2 Person

lightweight man basket for applications where OSHA requirement is not applicable.  
102 lbs; 44" x 44" x 8"



**Derrick Basket Accessories**

---

**DB1-SL**

Derrick Basket Safety Lanyard

Safety Lanyard for DB-1



**Rigid Cargo Baskets**

**RCB**

*Rigid Cargo Basket*

Billy Pugh Co. steel cargo baskets are high quality, galvanized and made for the tough jobs.

- 6' X 4' X 3' STEEL RIGID CARGO BASKET. 675 lbs.
- 4' X 5' X 4' STEEL RIGID CARGO BASKET. 600 lbs.
- 4' X 4' X 4' STEEL RIGID CARGO BASKET. 550 lbs.
- 3' X 4' X 3' STEEL RIGID CARGO BASKET. 500 lbs.



**OSHA Man Baskets**

**OMB-2**

*Steel OSHA Work Basket – 2 Person*

Steel man basket built to OSHA specification

2 MAN BASKET (4' X 4' X 7'). Safe Working load (1000 lbs.).

Actual Weight 520 lbs.



**OMB-4**

*Steel OSHA Work Basket*

Steel man basket built to OSHA specification.

4 MAN BASKET (4' X 6' X 7'). Safe Working load (1000 lbs.)

Actual Weight 740 lbs.



**OSHA Man Basket Accessories**

---

**OMB-Sling**

Sling for OSHA Man Basket

sling specifically made for BPC cargo basket.

58 lbs.



**SPH**

Safety Pipe Hook

SPH-03 1 3/4" MOUTH OPENING 5000# SWL. 12 lbs.

SPH-04 2" MOUTH OPENING 7500# SWL. 19 lbs.

SPH-05 2 5/8" MOUTH OPENING 14000# SWL. 21 lbs.



**DTP-002**

Safety Pipe Hook


Casing hook that is designed for applications where lift is being made with thread protector attached to pipe. 22 lbs.



**DTP-002N**

Safety Pipe Hook

Casing hook that is designed for applications where lift is being made with thread protector attached to pipe. 22 lbs.





**BILLY PUGH Co., INC.**

**(361) 884-9351**

**2011 Product Catalog**

**Casting/Pipe Hooks**

**SPH-SpareParts**

SPH-SpareParts

Spring, Nut & Bolt / Pipe Hooks





**CFTL-1**

CFTL 100'x1/4" Poly Pro

100' X 1/4" POLY PRO Containerized fast throw line. 3 lbs.



**CFTL-2**

CFTL 150'x1/4" Poly Pro

150' X 1/4" POLY PRO containerized fast throw line. 4 lbs.



**CFTL-3**

CFTL 100'x3/8" Poly Pro

100' X 3/8" POLY PRO containerized fast throw line. 5 lbs.



**CFTL-4**

CFTL 150'x3/8" Poly Pro

150' X 3/8" POLY PRO containerized fast throw line. 7 lbs.



**CFTL-5**

CFTL 300'x3/8" Poly Pro

300' X 3/8" POLY PRO containerized fast throw line. 16 lbs.



**CFTL-6**

CFTL 150'x3/8" Nylon

100' X 3/8" POLY PRO containerized fast throw line. 5 lbs.





**BILLY PUGH Co., INC.**

**(361) 884-9351**

**2011 Product Catalog**

**Cont. Fast Throw Lines**

**CFTL-7**

CFTL 250'x3/8" Nylon

250' X 1/2" NYLON containerized fast throw line. 20 lbs.



**KER-P**

*Poly Propylene Knotted Escape Ropes*

Poly Propylene Knotted Escape Ropes

Poly Propylene Knotted Escape Ropes in various sizes. Sizes include: 1 1/2" with knots 5' apart, 1 1/2" with knots 2' apart, 1 1/4" with knots 5' apart, 1" with knots 2' apart, 1/4" with knots 3' apart.

1 lb. per foot.

Options:

- 1 1/2" with knots 5' apart
- 1 1/2" with knots 2' apart
- 1 1/4" with knots 5' apart
- 1 1/4" with knots 3' apart



**KER-M**

*Manila Knotted Escape Ropes*

Manila Knotted Escape Ropes in various sizes. Sizes include: 1 1/4" with knots 3' apart, 1 1/4" with knots 5' apart

Options:

- 1 1/4" with knots 3' apart
- 1 1/4" with knots 5' apart
- 1", with knots 2' apart



**Breathing Apparatus Boxes**

---

**BAB-W**

Breathing Apparatus Box

Breathing Apparatus With Window

BAB-0W 25" X 10" X 9"; 11 lbs.

BAB-1W 30" X 13" X 11"; 17 lbs.

BAB-2W 33" X 13" X 11"; 18 lbs.

BAB-3W 33" X 17" X 11"; 20 lbs.



**BAB**

Breathing Apparatus Box

Standard color is yellow but others are available on request. Stainless steel hardware. Optional galvanized mounting kit available (Wall or Handrail).

BAB-0 25" X 10" X 9"; 11 lbs.

BAB-1 30" X 13" X 11"; 17 lbs.

BAB-2 33" X 13" X 11"; 18 lbs.

BAB-3 33" X 17" X 11"; 20 lbs.



**BAB-Pedestal**

Breathing Apparatus Box Mounting Pedestal

WITH NUTS AND BOLTS. 15 lbs.



**BAB-Mount**

Wall Mounting Kit (BAB Box)

Breathing Apparatus Box Wall Mounting Kit (Alum); 2 lbs.



**BAB-Walkaway**

Breathing Apparatus Box Walk-Away Bracket (S.S.)

Breathing Apparatus Box Walk-Away Bracket. 2 lbs.



**Equipment Boxes**

**EB-0**

Equipment Box

Yellow Equipment Box

25" X 10" X 9"; 12 lbs.



**EB-1**

Equipment Box

30" X 13" X 11"; 14 lbs.



**EB-2**

Equipment Box

33" X 13" X 11"; 17 lbs.



**EB-3**

Equipment Box

33" X 17" X 11"



**EB-Shelves**

Equipment Box Shelves

ADD PER EACH. 1.5 lb



---

**Fiberglass Container Spare Parts**

**FC-Hinges**

Fiberglass Container Offset Hinges

(cost / in)



---

**FC-Latches**

Fiberglass Container Rubber 'T' Latches

RUBBER 'T' LATCHES (small or large)





**Fire Extinguisher Boxes**

---

**FEB-3W**

Fire Extinguisher Box

WITH WINDOW (33" X 17" X 11") 17 lbs.



**FEB-3**

Fire Extinguisher Box

The standard color is red but others are available on request. Stainless steel hardware. Optional galvanized mounting kit available (Wall or Handrail).

17 lbs.



**FEB-2W**

Fire Extinguisher Box

Same as the FEB-2 except with the addition of a window.



**FEB-2**

**Fire Extinguisher Box**

The standard color is red but others are available on request. Stainless steel hardware. Optional galvanized mounting kit available (Wall or Handrail).

15 lbs.



**FEB-1W**

**Fire Extinguisher Box**

WITH WINDOW (30" X 13" X 11") 14 lbs.



**FEB-1**

**Fire Extinguisher Box**

The standard color is red but others are available on request. Stainless steel hardware. Optional galvanized mounting kit available (Wall or Handrail).

14 lbs.



**FEB-0W**

Fire Extinguisher Box

WITH WINDOW (25" X 10" X 9"). 11 lbs.



**FEB-0**

Fire Extinguisher Box

W/OUT WINDOW (25" X 10" X 9"). 11 lbs.



**Fire Fighting Equipment Boxes**

**FFE-Brackets**

Fire Extinguisher Box Brackets

DECK OR RAIL MOUNTS (ALUM) ;WITH NUTS AND BOLTS



**FFE-40**

**Fire Fighting Equipment Box**

53" X 44" X 28" Fire Fighting Equipment Box FFE-40.

128 lbs.



**FFE-30**

**Fire Fighting Equipment Box**

49" X 25" X 30" Fire Fighting Equipment Box FFE-30. 83 lbs.



**FFE-25**

**Fire Fighting Equipment Box**

41" X 25" X 36" Fire Fighting Equipment Box FFE-25.



**FFE-20**

Fire Fighting Equipment Box

36" X 24" X 32" Fire Fighting Equipment Box FFE-20



**FFE-10-15**

Fire Fighting Equipment Box

40 1/2" X 24" X 22" Fire Fighting Equipment Box FFE-10-15

46 lbs.



**FFE-5**

Fire Fighting Equipment Box

24 1/2" X 20 1/2" X 26 Fire Fighting Equipment Box FFE-5

34 lbs.



**Fire Hose Cabinets – Red (H x W x D)**

**FHC-Windows**

Fire Extinguisher Box

WITH WINDOW (33" X 17" X 11") 17 lbs.



**FHC-400**

Fire Hose Cabinet

44" X 32" X 16" Fire Hose Cabinet

75 lbs.



**FHC-300**

Fire Hose Cabinet

34" X 34" X 13" Fire Hose Cabinet

55 lbs.



**FHC-200**

Fire Hose Cabinet

36" X 32" X 6 1/2" Fire Hose Cabinet

45 lbs.



**FHC-100**

Fire Hose Cabinet

40" X 58" X 15" Fire Hose Cabinet

130 lbs.



**General Purpose Boxes**

**OBB-300**

General Purpose Box

LIFE PRESERVERS (#200 HOLDS 50 & #300 HOLDS 80 LIFE JACKETS) OR DOCK BOX;  
SPECIFY COLOR; RED, ORANGE, YELLOW

36" X 36" X 72" 130 lbs.



**OBB-200**

General Purpose Box

LIFE PRESERVERS (#200 HOLDS 50 & #300 HOLDS 80 LIFE JACKETS) OR DOCK BOX;  
SPECIFY COLOR; RED, ORANGE, YELLOW

28" X 36" X 66" 115 lbs.



---

**Life Preserver Boxes**

**LPB-Brackets**

Life Preserver Box Brackets

DECK OR RAIL MOUNTS (ALUM); WITH NUTS AND BOLTS. 13 lbs.



**LPB-40**

Life Preserver Box

53" X 44" X 28" Life Preserver Box. 128 lbs.





**LPB-30**

Life Preserver Box

49" X 25" X 30" Life Preserver Box. 83 lbs.



**LPB-25**

Life Preserver Box

41" X 25" X 36" Life Preserver Box. 50 lbs.



**LPB-20**

Life Preserver Box

36" X 24" X 32" Life Preserver Box. 48 lbs.



**LPB-10-15**

**Life Preserver Box**

Life preserver box capable of storing up to 15 type 1 lifejackets. Heavy duty fiber glass construction with stainless steel hardware. 40 1/2" X 24" X 22" Life Preserver Box. 46 lbs.



**LPB-5**

**Life Preserver Box**

24 1/2" X 20 1/2" X 26" Life Preserver Box. 34 lbs.



**LPB-Stencil**

**Life Preserver Box Stenciling**

CALL FOR CURRENT PRICE



**Ring Buoy Box**

---

**RBB-Mount**

Ring Buoy Box Mount Kit

SPECIFY WALL OR HAND RAIL; (ALUMINUM) 5 lbs.



**RBB-30W**

Ring Buoy Box with Window

WITH WINDOW (36" X 32" X 6 1/2"). 45 lbs.



**RBB-30**

Ring Buoy Box

W/OUT WINDOW (36" X 32" X 6 1/2"). 45 lbs.



**Storage Lockers**

---

**SL-1**

Storage Locker

YELLOW, RED OR ORANGE (L x W x D)

78" X 36" X 24"; 130 lbs.



**Utility Boxes**

---

**UB-2**

Utility Box (Yellow)

16" X 12" X 14" Utility Box UB-2 (Yellow).

14 lbs.



**UB-2**

Utility Box (Yellow)

11" X 10" X 12" – Utility Box UB-1 (Yellow)

9 lbs.



**Chain Ladders**

---

**C-1S**

*Chain Ladder*

Excellent quality flexilbe ladder with the following specifications:(SCH 40) 14" APART; NON-SKID SURFACE; STAINLESS STEEL THIMBLE EYES ON TOP; 3/16" GALV CHAIN; SS BOLTS AND LOCK NUTS. C-1S is the same ladder as the C-1 but with the addition of 6' aluminum "stand offs".



**C-1**

*Chain Ladder*

Excellent quality flexilbe ladder with the following specifications:(SCH 40) 14" APART; NON-SKID SURFACE; STAINLESS STEEL THIMBLE EYES ON TOP; 3/16" GALV CHAIN; SS BOLTS AND LOCK NUTS.



**Rope Ladders**

---

**5146CA**

*Carabiner for Ladder*

CARABINER (2 per ladder) (cost / set)



**R1-N**

Ladder

NON-SKID SURFACE 14" APART; PAINTED INTERNATIONAL ORANGE; 7/16" DOUBLE BRAID NYLON ROPES; DIPPED IN URETHANE TO RESIST FIRE CHEMICALS AND BOND TO FIBERS FOR ADDITIONAL DURABILITY; STAINLESS STEEL THIMBLE ENDS



**WRN-18-14**

Rope Ladder

NON-SKID SURFACE, 14" APART; PAINTED INTERNATIONAL ORANGE; 3/4" DOUBLE BRAID NYLON ROPES; DIPPED IN URETHANE TO RESIST FIRE CHEMICALS AND BOND TO FIBERS FOR ADDITIONAL DURABILITY; 600# SAFE WORKING LOAD/RUNG



**Wire Ladders**

**W-1S**

Wire Ladder

Aluminum rung cable ladder with 6" ROUND ALUM DISC "STAND OFFS". NON-SKID SURFACE; 3/8" GALV 7X19 WIRE ROPE; 3/8" LOGGER BUTTONS; ST STEEL THIMBLE EYES ON TOP; (SCH 40) 14" APART



**Life Float Launchers**

**LFL**

*Life Float Launcher*

Our life float launchers provide an easy and quick method for launching our life floats. Life float launcher comes in Aluminum or Steel for 6 or 12 Person.

**Material:**

Aluminum  
Steel

**Personnel:**

6 Person  
8 Person



**Life Float Accessories**

**LFP-150**

*Life Float Painter*

Keep your painter lines out of the sun and ready when needed. Comes with 150 ft. of nylon in a PVC container. Available in either 1/4" or 1/2" rope.

NYLON LINE CONFORMS TO USCG 117.175 (3)(i)(ii)(iii)(iv).

150' X 1/4" Weight: 3 lbs.  
150' X 1/2" Weight: 4 lbs.



**LFRB**

*Life Float Release Bracket*

Life Float Release Bracket comes in aluminum or steel. Built for a 6 or 12 person capacity.  
Aluminum 6 Person: 75 lbs.  
Aluminum 12 Person: 100 lbs.

**Material:**

Aluminum  
Steel

**Personnel:**

6 Person  
8 Person



**LFC**

Life Float Cover

Life Float Cover for LF6 and LF-12



**RR-250**

Life Float 250' x 5/8" poly pro

250' x 5/8" poly pro



**RR-150**

Life Float 150' x 5/8" poly pro

150' x 5/8" poly pro.





**LFP-Light**

Life Float Light

ACR SM-2 (CALL FOR CURRENT PRICE)



**Paddle-Stencil**

Paddle Stenciling

ADD TO PADDLE CHARGE (CALL FOR CURRENT PRICE)



**Paddles**

Paddles

5' Plastic Paddles. 4 lbs.



**Life Float Products**

**LF-Stencil**

Life Float Stenciling

ADD TO FLOAT CHARGE (CALL FOR CURRENT PRICE)



**LF-12**

Life Float – 12 Person

BPC life floats are the “best in the business”. They are manufactured with a hard outer shell and a Urethane inner core. All of our floats include a nylon basket and black polypropylene rope which is Mildew, Rot and Sunlight resistant. They have a five year warranty and can re-rigged in the field.

95 lbs; 77” x 47” x 12”



**LF-6**

Life Float – 6 Person

BPC life floats are the “best in the business”. They are manufactured with a hard outer shell and a Urethane inner core. All of our floats include black polypropylene life and pendant lines and a nylon basket. Mildew, Rot and Sunlight resistant they are sealed, long lasting and have a five year warranty. They can re-rigged in the field.

63 lbs; 54” x39” x 11”



**Float Free Links**

---

**FFL-2160**

Float Free Links

21 OR MORE PERSON FLOAT. 1 oz.



**FFL-1120**

Float Free Links

11 TO 20 PERSON FLOAT. 1 oz.



**FFL-110**

Float Free Links

1 TO 10 PERSON FLOAT. 1 oz.



**EEH**

Eye to Eye Hawser

**Available Options:**

- P/N: 358-E – Rope Circ: 11”; No. Pockets: 5; Buoyancy lbs.: 20 lbs.;
- P/N: 384-E – Rope Circ: 12”; No. Pockets: 5; Buoyancy lbs.: 20 lbs.;
- P/N: 416-E – Rope Circ: 13”; No. Pockets: 5; Buoyancy lbs.: 20 lbs.;
- P/N: 448-E – Rope Circ: 14”; No. Pockets: 5; Buoyancy lbs.: 20 lbs.;
- P/N: 480-E – Rope Circ: 15”; No. Pockets: 6; Buoyancy lbs.: 24 lbs.;
- P/N: 512-E – Rope Circ: 16”; No. Pockets: 6; Buoyancy lbs.: 24 lbs.;
- P/N: 576-E – Rope Circ: 18”; No. Pockets: 6; Buoyancy lbs.: 24 lbs.;
- P/N: 672-E – Rope Circ: 21”; No. Pockets: 7; Buoyancy lbs.: 28 lbs.;



**SLC**

Safety Lanyard Cable

Choice of 25’ or 50’ long X 1/4” galvanized cable with or without plastic coating



**Boat Rescue Nets**

---

**X-544**

*Boat Rescue Net*

Davit launched man overboard retrieval system  
73 lbs; 74" x 48" x 10"



---

**Cargo Nets**

**Cargo Nets**

Options:

- 8'x8' with 8" Mesh
- 8'x8' with 10" Mesh
- 8'x8' with 12" Mesh
- 10'x10' with 8" Mesh
- 10'x10' with 10" Mesh
- 10'x10' with 10" Mesh
- 12'x12' with 8" Mesh
- 12'x12' with 10" Mesh
- 12'x12' with 12" Mesh
- Other Sizes Available



**Helicopter Deck Nets**

---

**Helo**

**Helo Deck Nets**

Helo Deck Nets Call us for sizes of Helicopter Deck Nets



**Scramble Nets**

---

**SC-NET**

**Scramble Net**

10'X40' Mesh size (14" is most common) Type of rope (poly is most common) Size of rope (3/4" is most common with 1" borders) Type of spreader bar (oak is most common) Distance between each spreader bar (10 ft. is most common)



**RR-30**

Rescue Ring

Flexible floatation device that closes around victim when pulled. 8 lbs.



**Helicopter Deck Nets**

---

**Helo**

*Helo Deck Nets*

Helo Deck Nets Call us for sizes of Helicopter Deck Nets



**Scramble Nets**

---

**SC-NET**

*Scramble Net*

10'X40' Mesh size (14" is most common) Type of rope (poly is most common) Size of rope (3/4" is most common with 1" borders) Type of spreader bar (oak is most common) Distance between each spreader bar (10 ft. is most common)





**Aluminum Life Ring Buoy Brackets**

---

**B-30/ALUM**

*Aluminum Ring Bouy Bracket*

Constructed of aluminum. Strong, easy to install on a handrail or bulkhead for easy accessibility.

15 lbs.



**Galvanized Life Ring Buoy Brackets**

---

**B-30/GALV**

*Galvanized Ring Buoy Bracket*

Constructed of galvanized steel Strong, easy to install on a handrail or bulkhead for easy accessibility.

35 lbs.



**U.S.C.G. Life Ring Buoys**

**A-301\_USCG**

*Life Ring Buoy*

Molded of high impact polyethylene. The color will not dent or peel. Rigged with black polypropylene terminated with hand a hand splice. USCG approved throwable device for all vessels. Approval # 160.050/120/1 Polyurethane foam buoyant material provides a minimum buoyant force of 32lbs.

Options include stenciling, ACR SM-2 water lights and Containerized fast throw lines.

54 lbs; 31" x 31" x 22"



**Life Ring Buoy Accessories**

**RB-Cover**

*Ring Buoy Cover*

Durable herculite cover keeps your ring buoys covered and out of the weather and harmful UV.



**LRB-Stencil**

*Life Ring Buoy Stenciling*

(ADD PER BUOY) (CALL FOR CURRENT PRICE)



**Ring Buoy Release Mechanism Only**

**RBRM-1**

Ring Buoy Release Mechanism (cages only)

Ring Buoy Release Mechanism (only) RBRM-1. 2 CAGES PER SET (PORT AND STARBOARD) galvanized metal.

36" X 31" X 10.5", 320 lbs.



**Ring Buoy Release Mechanism Accessories**

**ACR-SM-2**

SM-2 Light

ACR SM-2 (CALL FOR CURRENT PRICE)



**CFTL-2**

CFTL 150'x1/4" Poly Pro

The BPC containerized fast throw line keeps rope from tangling on deployment. It also maintains the strength of the rope as the rope is protected from UV degradation inside the PVC container.

4 lbs.



**S.O.L.A.S. Life Ring Buoys**

**A-301\_SOLAS**

*Life Ring Buoy SOLAS*

Molded of high impact polyethylene. The color will not dent or peel. Rigged with black polypropylene terminated with hand a hand splice. USCG approved throwable device for all vessels. Meets SOLAS. Approval # 160.050/120/1 Polyurethane foam buoyant material provides a minimum buoyant force of 32lbs. Options include stenciling, ACR SM-2 water lights and Containerized fast throw lines.

54 lbs; 31" x 31" x 22"



**B-206**

*Stretcher – Bell*

LITTER WITH STRAPS, BLANKET AND BAG FOR BELL 206  
20 lbs; 75" x 16" x 7"



**S-1**

*Wire Stretcher – Stokes*

STOKES STEEL LITTER WITH STRAPS  
28 lbs; 83" x 25" x 9"



**FC-S1**

*Floation Collar (Stokes)*

FLOTATION COLLAR FOR STOKES STEEL LITTER  
4 lbs; 61" x 38" x 5"



**PU-B**

Pick Up Bridle

PICK-UP BRIDLE



**S-4**

Straps for Stokes Litter

STRAPS FOR STOKES LITTER (4 PER SET)



**S-1\_Cover**

Stretcher Cover

COVER FOR STOKES LITTER. 2 lbs.





**BILLY PUGH Co., Inc.**

**(361) 884-9351**

**2011 Product Catalog**

**Swing Ropes**

**SR**

Swing Rope (Custom Made)

STANDARD HAS 5 KNOTS, 2' APART



**TL-Carabiner**

Carabiner

Steel Carabiner Self-locking gate with captive bar 3600lbs gate strength



**5101XA**

Tag Line

Using a regular rope of poly, nylon or sisal has some inherent problems when used as tag lines. 1. They tend to wrap around objects 2. They get caught in pinch points 3. The bottoms fray and are then knotted to stop the fraying. This REALLY causes the line to catch. 4. They get slick when worn, wet or dirty with grease. The Billy Pugh Co. tag line is much different. It is specifically designed for the application. \*bpc tag lines are tangle resistant. The center rope is wrapped with an outer layer of smaller diameter rope. This resists the tag line turning on itself and wrapping around objects or people. \*bpc tag lines are designed not to catch on pinch points. There are no knots or raised surfaces. \*bpc tag lines are tough. They are dipped in polyurethane for resistance to UV and it also toughens the rope \*bpc tag lines horizontal wraps give a better gripping (non-slip) surface for rig hands- especially when the rope gets wet, dirty and or greasy. How they are made: bpc tag lines are prepared with a stainless steel thimble and eye splice in one end. The entire polydacron rope (including the coils) is dipped in liquid polyurethane which saturates the rope sets the knots and the eye splice. This produces a chafing and weather resistant tag line specifically designed for the job.

- PTL-1 1 1/4", dipped, wrapped, ss eye on one end, specify length, will not accommodate carabineer
- STL-2 1 1/4", dipped, wrapped, soft sleeved, eye carabineer, specify length
- STL-3 1 1/4", dipped, wrapped, soft sleeved, eye, no carabineer, no ss thimble, specify length
- CTL-1 5/8", no dip, no wrapping, ss eye on one end, will not accommodate carabineer
- CTL-2 5/8", no dip, no wrapping, soft sleeved, eye, with carabineer



**RPTL-1**

Push/Pull Tag Line

BPC's new Push/Pull Tag Line keeps your hands off the load. This custom tag line has a 4 ft rigid section to push or pull the load for "hands off" lifting. We have designed this product to be UV resistant and have no knots or raised surfaces, thus making it resistant to catching on pinch points or wrapping around objects. All of these features were designed with your employees' safety in mind. (Patent Pending)

RPTL-1 1", DIPPED, WRAPPED, 3FT RIGID SECTION, SPECIFY LENGTH





**WS-BE**

*Windssock Extended Bracket*

EXTENDED BRACKET FOR WS-18. 10 lbs.



**WS-18B**

*Windsocket Bracket*

BRACKET FOR WS-18. 5 lb.w



**WS-18**

*Windssock*

International Orange Nylon

18" WINDSOCK – ORANGE (18" DIA X 60" L X 9" DIA). 1 lb.



**WS-B117**

*Windssock Bracket with Light*

BRACKET WITH LIGHT ON TOP. 50 lbs.



**WS-Stencil**

*Windssock Stenciling*

ADD TO WINDSOCK PRICE (CALL FOR CURRENT PRICE)



**L8-3**

Work Vest Light

U.S.C.G. APPROVED



**PML**

Work Vest Light

U.S.C.G. APPROVED



**WV-Whistle**

Work Vest Whistle

U.S.C.G. APPROVED



**WVO-Stencil**

Work Vest Stenciling

U.S.C.G. APPROVED



**WVO-100**

Work Vest

U.S.C.G. APPROVED

Type V Vinyl Dipped Vest Internal Webbing.

2 lbs.



**WVO-50S**

Work Vest

U.S.C.G. APPROVED

Type V Vinyl Dipped Vest External Webbing / Slotted for harness.

2 lbs.



**WV-AII**

Work Vests – All Models

U.S.C.G. APPROVED

2 lbs



**WVO-50**

Work Vest Type V Vinyl

U.S.C.G. APPROVED

Type V Vinyl Dipped Vest External Webbing.

2 lbs.



**Offshore Personnel Transfer Net Storage Box**

---

**PNB-1-4**

*Offshore Personnel Transfer Net Storage Box 4 Person net*

BPC personnel net boxes keep your transfer net out of the harmful UV and salt conditions. This promotes a longer lasting product and also keeps ropes and hardware stronger.  
150 lbs; 78" x 78" x 18"



**PNB-1-6**

*Offshore Personnel Transfer Net Storage Box 6 Person net*

BPC personnel net boxes keep your transfer net out of the harmful UV and salt conditions. This promotes a longer lasting product and also keeps ropes and hardware stronger.  
200 lbs.



**PNB-1-8**

*Offshore Personnel Transfer Net Storage Box 8 Person net*

BPC personnel net boxes keep your transfer net out of the harmful UV and salt conditions. This promotes a longer lasting product and also keeps ropes and hardware stronger.



**PNB-1-10**

Offshore Personnel Transfer Net Storage Box 10 Person net

BPC personnel net boxes keep your transfer net out of the harmful UV and salt conditions. This promotes a longer lasting product and also keeps ropes and hardware stronger.



**PNB-1-12**

Offshore Personnel Transfer Net Storage Box 12 Person net

BPC personnel net boxes keep your transfer net out of the harmful UV and salt conditions. This promotes a longer lasting product and also keeps ropes and hardware stronger. (NOTE: 12 man nets cannot ship regular motor freight-permit required)



**Offshore Personnel Transfer Nets**

**X-870**

Offshore Personnel Transfer Net – 4 Person

18' load line, 29' overall height. Made for inland allcation and lighter sea conditions.

256 lbs; 72" x 72" x 16"



**X-870D/C**

Offshore Personnel Transfer Net (nn) with additional safety cable

Same as X-870 but in addition to the regular load line it also includes an additional galvanized wire rope safety load line



**X-871-10**

Offshore Personnel Transfer Net – 10 Person

Same specification as the X-871 but with space for 10 passengers.  
500 lbs; 94" x 94" x 22"



**X-871-10-A**

Offshore Personnel Transfer Net – 10 Person with Cushion

This personnel transfer net is the same size and specification as the X-871-10 but includes additional air cushions on the bottom and top of the lower ring. This cushioning is very beneficial in the event of a rough deck landing.





**X-816**

*Offshore Personnel Transfer Net – 4 Person*

13' load line, 25' overall height. This personnel net is used for applications that use smaller boomed cranes.

240 lbs.



**X-816-D/C**

*Offshore Personnel Transfer Net with additional safety cable*

Same as X-816 but in addition to the regular load line it also includes an additional galvanized wire rope safety load line.

250 lbs.



**X-840**

*Offshore Personnel Transfer Net – 4 Person*

This smaller personnel net is not only shorter in overall length but also incorporates a smaller diameter bottom ring (60" instead of 72")

245 lbs



**X-840-D/C**

Offshore Personnel Transfer Net with additional safety cable

Same as X-840 but in addition to the regular load line it also includes an additional galvanized wire rope safety load line.

256 lbs.



**Inspection Certificates**

**ABS\_X-900**

ABS CERTIFICATION

(Only the X-904-4 available at this time). If ABS certification is required for the larger models we can have ABS produce a "Statement of Fact" certificate but the cost is greater than the Type Approval.



**ABS\_X-800**

ABS CERTIFICATION

ABS certs are available on the following personnel net models: X-870, X-870-D/C; X-871, X-871-D/C; X-871-A, X-871-A-D/C; X-871-8; X-871-10; X-816, X-816-D/C; X-840, X-840-D/C



**Replacement Parts**

---

**X-871-Stabalizer**

Stabilizer for X-871-10, X-871-12

Stabilizers are a crucial part of using a personnel net. If your personnel net is still in good shape but the stabilizer is worn or broken, they are easily replaced with a new one.

25 lbs.



**X-871\_Stabalizer**

Stabilizer for X-871, X-871-6, X-871-8

Stabilizers are a crucial part of using a personnel net. If your personnel net is still in good shape but the stabilizer is worn or broken, they are easily replaced with a new one.

18 lbs.



**X-870-Stabalizer**

Stabilizer for X-870, X-870-6, X-870-8

Stabilizers are a crucial part of using a personnel net. If your personnel net is still in good shape but the stabilizer is worn or broken, they are easily replaced with a new one.

12 lbs.



**Accessories****X-870\_X-871-Cover**

Offshore Personnel Transfer Net Cover

STORAGE COVER TO PROTECT FROM WEATHER

**Size:**

12 Man

10 Man

8 Man

6 Man

**5101XA**

## Tag Line

Using a regular rope of poly, nylon or sisal has some inherent problems when used as tag lines. 1. They tend to wrap around objects 2. They get caught in pinch points 3. The bottoms fray and are then knotted to stop the fraying. This REALLY causes the line to catch. 4. They get slick when worn, wet or dirty with grease. The Billy Pugh Co. tag line is much different. It is specifically designed for the application. \*bpc tag lines are tangle resistant. The center rope is wrapped with an outer layer of smaller diameter rope. This resists the tag line turning on itself and wrapping around objects or people. \*bpc tag lines are designed not to catch on pinch points. There are no knots or raised surfaces. \*bpc tag lines are tough. They are dipped in polyurethane for resistance to UV and it also toughens the rope \*bpc tag lines horizontal wraps give a better gripping (non-slip) surface for rig hands- especially when the rope gets wet, dirty and or greasy. How they are made: bpc tag lines are prepared with a stainless steel thimble and eye splice in one end. The entire polydacron rope (including the coils) is dipped in liquid polyurethane which saturates the rope sets the knots and the eye splice. This produces a chafing and weather resistant tag line specifically designed for the job.

PTL-1 1 1/4", dipped, wrapped, ss eye on one end, specify length, will not accommodate carabineer

STL-2 1 1/4", dipped, wrapped, soft sleeved, eye carabineer, specify length

STL-3 1 1/4", dipped, wrapped, soft sleeved, eye, no carabineer, no ss thimble, specify length

CTL-1 5/8", no dip, no wrapping, ss eye on one end, will not accommodate carabineer

CTL-2 5/8", no dip, no wrapping, soft sleeved, eye, with carabineer



**TL-Carabiner**

Carabiner

CARABINER FOR TAG LINE



---

**Stenciling**

**Stenciling**

CALL FOR PRICES



**X-904 Transfer Devices**

**X-904-12**

**Offshore Personnel Transfer Basket – 12 Person**

12 person transfer device used to quickly and effectively transport personnel on and off of platforms. All X-904's are made of a sturdy and very durable aluminum skeleton that encompasses the rider to protect them from falling objects and any side impact that may occur. All models are equipped with quick release safety lanyards to provide safety and give the rider confidence while in transit. \*\*\*NOTE: The 8, 10 and 12 person transfer devices cannot ship regular motor freight—permit required\*\*\*



**X-904-10**

**Offshore Personnel Transfer Basket – 10 Person**

10 person transfer device used to quickly and effectively transport personnel on and off of platforms. All X-904's are made of a sturdy and very durable aluminum skeleton that encompasses the rider to protect them from falling objects and any side impact that may occur. All models are equipped with quick release safety lanyards to provide safety and give the rider confidence while in transit. \*\*\*NOTE: The 8, 10 and 12 person transfer devices cannot ship regular motor freight—permit required\*\*\*



**X-904-8**

**Offshore Personnel Transfer Basket – 8 Person**

8 person transfer device used to quickly and effectively transport personnel on and off of platforms. All X-904's are made of a sturdy and very durable aluminum skeleton that encompasses the rider to protect them from falling objects and any side impact that may occur. All models are equipped with quick release safety lanyards to provide safety and give the rider confidence while in transit. \*\*\*NOTE: The 8, 10 and 12 person transfer devices cannot ship regular motor freight—permit required\*\*\*

495 lbs. (wt with tagline)



**X-904-6**

**X-904-6**

6 person transfer device used to quickly and effectively transport personnel on and off of platforms. All X-904's are made of a sturdy and very durable aluminum skeleton that encompasses the rider to protect them from falling objects and any side impact that may occur. All models are equipped with quick release safety lanyards to provide safety and give the rider confidence while in transit.

480 lbs. (wt with tagline)



**X-904-4**

**X-904-4**

4 person transfer device used to quickly and effectively transport personnel on and off of platforms. All X-904's are made of a sturdy and very durable aluminum skeleton that encompasses the rider to protect them from falling objects and any side impact that may occur. All models are equipped with quick release safety lanyards to provide safety and give the rider confidence while in transit. The X-904 is built above and beyond standard safety rules and regulations to provide a superior product to customers.

465 lbs. (wt with tagline)



**X-904 Accessories**

**X-904\_Cover**

**X-904 Protective Storage Cover**

COVER SNAPS RIGHT ON AND WILL HELP PROTECT THIS CRITICAL TRANSFER DEVICE FROM THE ELEMENTS.

Sizes 4, 6, 8, 10, and 12 PERSON

4 Person: 22 lbs; 6 & 8 Person: 35 lbs.; 10 & 12 Person: 40 lbs.



**TL-Carabiner**

Carabiner

CARABINER FOR TAG LINE

**Tag Line**

Product ID: 5101XA

Using a regular rope of poly, nylon or sisal has some inherent problems when used as tag lines. 1. They tend to wrap around objects 2. They get caught in pinch points 3. The bottoms fray and are then knotted to stop the fraying. This REALLY causes the line to catch. 4. They get slick when worn, wet or dirty with grease. The Billy Pugh Co. tag line is much different. It is specifically designed for the application. \*bpc tag lines are tangle resistant. The center rope is wrapped with an outer layer of smaller diameter rope. This resists the tag line turning on itself and wrapping around objects or people. \*bpc tag lines are designed not to catch on pinch points. There are no knots or raised surfaces. \*bpc tag lines are tough. They are dipped in polyurethane for resistance to UV and it also toughens the rope \*bpc tag lines horizontal wraps give a better gripping (non-slip) surface for rig hands- especially when the rope gets wet, dirty and or greasy. How they are made: bpc tag lines are prepared with a stainless steel thimble and eye splice in one end. The entire polydacron rope (including the coils) is dipped in liquid polyurethane which saturates the rope sets the knots and the eye splice. This produces a chafing and weather resistant tag line specifically designed for the job.

PTL-1 1 1/4", dipped, wrapped, ss eye on one end, specify length, will not accommodate carabineer

STL-2 1 1/4", dipped, wrapped, soft sleeved, eye carabineer, specify length

STL-3 1 1/4", dipped, wrapped, soft sleeved, eye, no carabineer, no ss thimble, specify length

CTL-1 5/8", no dip, no wrapping, ss eye on one end, will not accommodate carabineer

CTL-2 5/8", no dip, no wrapping, soft sleeved, eye, with carabineer

